




GTP

**GT RING - (3 PC.) PISTON SEAL**

GT Rings are an excellent direct replacement for O-Rings or X-Rings, and help eliminate rolling or spiraling in long stroke or dry rod conditions. Designed for installation in standard commercial O-Ring grooves, GT-Rings are also available for grooves cut for one or two backup rings. Each GT-Ring consists of the T-shaped rubber sealing ring and the two anti-extrusion rings.



**MFP PART NUMBER**

**GTP-037N6001**  
SEAL TYPE      SIZE      COMPOUND

**GTP-037N6001-1**  
SEAL TYPE      SIZE      COMPOUND      1 BU-Ring

**GTP-037N6001-2**  
SEAL TYPE      SIZE      COMPOUND      2 BU-Rings

Seal - N6001      Anti-Extrusion Rings - M1001

Pressure: 700 bar (10,000 psi)      Max. Velocity: 0.5 m/s (< 1.6 ft./s)

MFP PART NUMBER	PISTON APPLICATION						
	ØD1	ød1	ØD2	L1 - GROOVE WIDTH			OR SIZE
				NO BACKUP	1 BACKUP	2 BACKUP	
TOLERANCE	H9	h9	h9	+0.005/-0.000	+0.005/-0.000	+0.005/-0.000	
GTP-037	0.375	0.199	0.373	0.141	0.183	0.245	106
GTP-043	0.437	0.261	0.435	0.141	0.183	0.245	108
GTP-050	0.500	0.324	0.498	0.141	0.183	0.245	109
GTP-056	0.562	0.320	0.559	0.188	0.235	0.304	203
GTP-062	0.625	0.383	0.622	0.188	0.235	0.304	204
GTP-068	0.687	0.445	0.684	0.188	0.235	0.304	205
GTP-075	0.750	0.508	0.747	0.188	0.235	0.304	206
GTP-081	0.812	0.570	0.809	0.188	0.235	0.304	207
GTP-087	0.875	0.633	0.872	0.188	0.235	0.304	208
GTP-093	0.937	0.695	0.934	0.188	0.235	0.304	209
GTP-100	1.000	0.758	0.997	0.188	0.235	0.304	210
GTP-106	1.062	0.820	1.059	0.188	0.235	0.304	211
GTP-112	1.125	0.883	1.122	0.188	0.235	0.304	212
GTP-118	1.187	0.945	1.184	0.188	0.235	0.304	213
GTP-125	1.250	1.008	1.247	0.188	0.235	0.304	214
GTP-131	1.312	1.070	1.309	0.188	0.235	0.304	215
GTP-137	1.375	1.133	1.372	0.188	0.235	0.304	216
GTP-143	1.437	1.195	1.434	0.188	0.235	0.304	217
GTP-150	1.500	1.258	1.497	0.188	0.235	0.304	218
GTP-156	1.562	1.320	1.559	0.188	0.235	0.304	219

PISTON ASSEMBLIES




# GT Ring - (3 PC.) Piston Seal

A product of MFP Seals.


**MFPSEALS**

www.mfpseals.com



PISTON ASSEMBLIES

MFP PART NUMBER	PISTON APPLICATION						
	ØD1	ød1	ØD2	L1 - GROOVE WIDTH			OR SIZE
				NO BACKUP	1 BACKUP	2 BACKUP	
TOLERANCE	H9	h9	h9	+0.005/-0.000	+0.005/-0.000	+0.005/-0.000	
GTP-162	1.625	1.383	1.622	0.188	0.235	0.304	220
GTP-168	1.687	1.445	1.684	0.188	0.235	0.304	221
GTP-175	1.750	1.508	1.747	0.188	0.235	0.304	222
GTP-187	1.875	1.505	1.872	0.281	0.344	0.424	325
GTP-200	2.000	1.630	1.997	0.281	0.344	0.424	326
GTP-212	2.125	1.755	2.122	0.281	0.344	0.424	327
GTP-225	2.250	1.880	2.247	0.281	0.344	0.424	328
GTP-237	2.375	2.005	2.372	0.281	0.344	0.424	329
GTP-250	2.500	2.130	2.497	0.281	0.344	0.424	330
GTP-262	2.625	2.255	2.622	0.281	0.344	0.424	331
GTP-275	2.750	2.380	2.747	0.281	0.344	0.424	332
GTP-287	2.875	2.505	2.872	0.281	0.344	0.424	333
GTP-300	3.000	2.630	2.997	0.281	0.344	0.424	334
GTP-312	3.125	2.755	3.122	0.281	0.344	0.424	335
GTP-325	3.250	2.880	3.247	0.281	0.344	0.424	336
GTP-337	3.375	3.005	3.372	0.281	0.344	0.424	337
GTP-350	3.500	3.130	3.497	0.281	0.344	0.424	338
GTP-362	3.625	3.255	3.622	0.281	0.344	0.424	339
GTP-375	3.750	3.380	3.747	0.281	0.344	0.424	340
GTP-387	3.875	3.505	3.872	0.281	0.344	0.424	341
GTP-400	4.000	3.630	3.997	0.281	0.344	0.424	342
GTP-412	4.125	3.755	4.122	0.281	0.344	0.424	343
GTP-425	4.250	3.880	4.247	0.281	0.344	0.424	344
GTP-437	4.375	4.005	4.372	0.281	0.344	0.424	345
GTP-450	4.500	4.130	4.497	0.281	0.344	0.424	346
GTP-462	4.625	4.255	4.622	0.281	0.344	0.424	347
GTP-475	4.750	4.380	4.747	0.281	0.344	0.424	348
GTP-487	4.875	4.505	4.872	0.281	0.344	0.424	349
GTP-500	5.000	4.630	4.997	0.281	0.344	0.424	350
GTP-512	5.125	4.651	5.121	0.375	0.475	0.579	426
GTP-525	5.250	4.776	5.246	0.375	0.475	0.579	427
GTP-537	5.375	4.901	5.371	0.375	0.475	0.579	428
GTP-550	5.500	5.026	5.496	0.375	0.475	0.579	429
GTP-562	5.625	5.151	5.621	0.375	0.475	0.579	430



GTP

MFP PART NUMBER	PISTON APPLICATION						
	ØD1	ød1	ØD2	L1 - GROOVE WIDTH			OR SIZE
				NO BACKUP	1 BACKUP	2 BACKUP	
TOLERANCE	H9	h9	h9	+0.005/-0.000	+0.005/-0.000	+0.005/-0.000	
GTP-575	5.750	5.276	5.746	0.375	0.475	0.579	431
GTP-587	5.875	5.401	5.871	0.375	0.475	0.579	432
GTP-600	6.000	5.526	5.996	0.375	0.475	0.579	433
GTP-612	6.125	5.651	6.121	0.375	0.475	0.579	434
GTP-625	6.250	5.776	6.246	0.375	0.475	0.579	435
GTP-650	6.500	6.026	6.496	0.375	0.475	0.579	437
GTP-675	6.750	6.276	6.746	0.375	0.475	0.579	438
GTP-700	7.000	6.526	6.996	0.375	0.475	0.579	439
GTP-725	7.250	6.776	7.246	0.375	0.475	0.579	440
GTP-750	7.500	7.026	7.496	0.375	0.475	0.579	441
GTP-775	7.750	7.276	7.746	0.375	0.475	0.579	442
GTP-800	8.000	7.526	7.996	0.375	0.475	0.579	443
GTP-825	8.250	7.776	8.246	0.375	0.475	0.579	444
GTP-850	8.500	8.026	8.496	0.375	0.475	0.579	445
GTP-900	9.000	8.526	8.996	0.375	0.475	0.579	446
GTP-950	9.500	9.026	9.496	0.375	0.475	0.579	447
GTP-1000	10.000	9.526	9.996	0.375	0.475	0.579	448
GTP-1050	10.500	10.026	10.496	0.375	0.475	0.579	449
GTP-1100	11.000	10.526	10.996	0.375	0.475	0.579	450
GTP-1150	11.500	11.026	11.496	0.375	0.475	0.579	451
GTP-1200	12.000	11.526	11.996	0.375	0.475	0.579	452

PISTON ASSEMBLIES