



# A-Series, AT - Style-2, Thick Rod Scraper

Medium Duty



**MFPSEALS**  
www.mfpseals.com

## HYDROWYPE

### A-SERIES, AT STYLE-2 THICK ROD SCRAPER

"Thick" Scraper for rods starting at 13.5" Diameter.

Style-2 provides a scraping body with a narrow groove accommodating a 302 stainless steel serpentine form spring to generate scraping load. The spring is installed in a groove on OD of the scraper body (springs do not contact the rod).



Scrapers are typically held in place by a Keeper/Follower plate or Retaining Ring.

### HYDROWYPE PART NUMBER

**AT-67-2B**

SEAL TYPE    DASH#    STYLE    FINISH


#### FINISH DESIGNATION

B = UNFINISHED\* (Standard)    N = NICKEL  
C = CADMIUM    Z = ZINC

\*Unfinished parts are susceptible to oxidation and should not be stored for long periods without appropriate treatment. Parts will be shipped in plastic bags with light coating of machine oil to prevent corrosion.

ROD SCRAPERS

PART NUMBER	ROD APPLICATION				
	ød1	ØD1	ød2	L1	L3
<b>TOLERANCE</b>	NOMINAL	+01/-000	+01/-000	+01/-000	+01/-000
AT-73	13.500	14.508	13.962	0.260	0.291
AT-75	14.000	15.008	14.462	0.260	0.291
AT-77	14.500	15.508	14.962	0.260	0.291
AT-79	15.000	16.008	15.462	0.260	0.291
AT-81	15.500	16.508	15.962	0.260	0.291
AT-83	16.000	17.008	16.462	0.260	0.291
AT-85	16.500	17.508	16.962	0.260	0.291
AT-87	17.000	18.008	17.462	0.260	0.291
AT-89	17.500	18.508	17.962	0.260	0.291
AT-91	18.000	19.008	18.462	0.260	0.291
AT-93	18.500	19.508	18.962	0.260	0.291
AT-95	19.000	20.008	19.462	0.260	0.291
AT-97	19.500	20.508	19.962	0.260	0.291
AT-99	20.000	21.008	20.462	0.260	0.291
AT-101	20.500	21.508	20.962	0.260	0.291
AT-103	21.000	22.008	21.462	0.260	0.291
AT-105	21.500	22.508	21.962	0.260	0.291
AT-107	22.000	23.008	22.462	0.260	0.291
AT-109	22.500	23.508	22.962	0.260	0.291
AT-111	23.000	24.008	23.462	0.260	0.291
AT-113	23.500	24.508	23.962	0.260	0.291
AT-115	24.000	25.008	24.462	0.260	0.291
AT-117	24.500	25.508	24.962	0.260	0.291



AT

PART NUMBER	ROD APPLICATION				
	ød1	ØD1	ød2	L1	L3
TOLERANCE	NOMINAL	+0.01/-0.000	+0.01/-0.000	+0.01/-0.000	+0.01/-0.000
AT-119	25.000	26.008	25.462	0.260	0.291
AT-120	26.000	27.008	26.462	0.260	0.291
AT-121	27.000	28.008	27.462	0.260	0.291
AT-122	28.000	29.008	28.462	0.260	0.291
AT-123	29.000	30.008	29.462	0.260	0.291
AT-124	30.000	31.008	30.462	0.260	0.291
AT-125	31.000	32.008	31.462	0.260	0.291
AT-126	32.000	33.008	32.462	0.260	0.291
AT-127	33.000	34.008	33.462	0.260	0.291
AT-128	34.000	35.008	34.462	0.260	0.291
AT-129	35.000	36.008	35.462	0.260	0.291
AT-130	36.000	37.008	36.462	0.260	0.291
AT-131	37.000	38.008	37.462	0.260	0.291
AT-132	38.000	39.008	38.462	0.260	0.291
AT-133	39.000	40.008	39.462	0.260	0.291
AT-134	40.000	41.008	40.462	0.260	0.291

ROD SCRAPERS